Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

Tirzepatide 10mg - US

Sample ID: 2606AFL1014.3622

Matrix: Peptide
Type: Vial (Injectable)
Unit Weight: g

Internal Lab ID: ATL-37438

Received: 06/26/2026
Completed: 07/07/2026
Batch#: TIRZ-2606-001

Client
US Wholesale Peptides

FORT LAUDERDALE, FL 33309



Summary

Test	Date Tested	Result
Batch		Pass
Heavy Metals	06/30/2026	Pass

Peptides

Complete

99.90%
Total Purity

Analyte	Purity	Result	Analyte	Purity	Result
	%	mg/unit			
Tirzepatide	99.901	10.03			

Document ID: COA-12 Peptides Rev. 1, Test Method: TM-13
Date Tested: 06/26/2026

Unit Weight = 1

Lise Berthe-Laurent
Laboratory Director
07/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
http://accuratetestlab.com

Tirzepatide 10mg - US

Sample ID: 2606AFL1014.3622

Matrix: Peptide
Type: Vial (Injectable)
Unit Weight: g

Internal Lab ID: ATL-37438

Received: 06/26/2026
Completed: 07/07/2026
Batch#: TIRZ-2606-001

Client
US Wholesale Peptides

FORT LAUDERDALE, FL 33309

Residual Solvents

Not Tested

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status

Document ID:
Date Tested:

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	PPB	PPB	PPB	PPB	
Arsenic	15.9	47.6	1500	ND	Pass
Cadmium	15.9	47.6	500	ND	Pass
Lead	15.9	47.6	500	ND	Pass
Mercury	15.9	47.6	3000	ND	Pass

Document ID: CoA-5 Heavy Metals Rev. 1, Test Method: TM-9
Date Tested: 06/30/2026

Lise Berthe-Laurent
Laboratory Director
07/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Tirzepatide 10mg - US

Sample ID: 2606AFL1014.3622

Matrix: Peptide
Type: Vial (Injectable)
Unit Weight: g

Internal Lab ID: ATL-37438

Received: 06/26/2026
Completed: 07/07/2026
Batch#: TIRZ-2606-001

Client
US Wholesale Peptides

FORT LAUDERDALE, FL 33309

Endotoxins

Pass

Analyte	Limit	Result	Status
	eu/ml	eu/ml	
Endotoxin	35.00	0.05	Pass

Date Tested: 07/06/2026

ACCURATE TEST LAB

Lise Berthe-Laurent
Laboratory Director
07/07/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.